

GreenCourt®

Mini-pitch systems



Made in Germany

GreenCourt[®]

What is it ?

GreenCourt[®] is the product line of our outdoor and indoor mini-pitch systems perfectly connecting sports and leisure.

Regardless if permanently installed or portable, **GreenCourt[®]** has the optimal solution for your intended use.

Revenue through sponsor advertising on rebound panels can provide continuing cash-flow to your organization.

GreenCourt[®] means years of experience combining continual product development with world-class service guaranteeing the best quality and safety.

We focus on recreational and elite players. **GreenCourt[®]** is tailored to everyone, so enjoy the many possibilities of our min-pitch system!

Which is the right **GreenCourt**[®] for my project?

Arena Pro

- I want a very rigid and weather-proof construction.
- It has to be a long-term panel system set in concrete, staying at the same place.
- Potentially I want a multifunctional solution (basketball, volleyball, etc.) and/or with more options (top net, LED lighting, etc.).

Arena Smart

- Having a level and hard underground where the panel system can be anchored, it is possible to save foundation work costs.
- The construction shall be removable (max. 1-2 times per annum) but generally stay installed.
- It has to be a rigid and weather-proof design.

StreetSoccer

- The weather-proof panel system shall be installed and disassembled more frequently. A space-saving transport and storage is important.
- Installation and removal shall be quick and easy (without tools).
- I want a system to be used for temporary events, festivities, fairs, etc..



Index

	Arena Pro	Arena Smart	StreetSoccer
Robustness			
Steadiness (Stability)			
Portability			
Multi-functional options			

I have decided on a **GreenCourt®**.

How do I get a price?

The following pages show the different **GreenCourt®** systems with all sizes and options.

Go through step by step to get your desired **GreenCourt®**.

GreenCourt® ARENA PRO 6

GreenCourt® ARENA SMART 12

GreenCourt® STREETSOCCER 16

GreenCourt® ARENA MINI 20

GreenCourt® SOCCERCAGE 22



GreenCourt® Arena Pro

- highest quality and stability for a long-term use
- a permanent installation staying at the same place
- extended posts, fixed in concrete foundations
- incl. the technical creation of a foundation plan, exactly for your project
- certified by a German testing institute: robust, weather-proof, low noise
- basic lay-out:
 - surrounding panel system, approx. 39.4" high, approx. 1.6" thick
 - sandwich panel structure, PU hard foam with a steel coating (one side green, one side light grey)
 - basic construction made of corrosion-free aluminium
 - fully welded soccer goals, integrated into the panel system
 - one entrance door per goal, integrated into a side part
 - high-quality goal and door nets
- many possibilities (net constructions, lighting, basketball, volleyball, etc.),
- panels suitable for the application of advertising
- perfect for all ages in sports clubs, schools, recreational facilities, hotels, social and cultural facilities, on company premises and public areas



Top net construction (49.2' x 32.8')
Art.-Nr. 10-30



Basketball construction
Art.-Nr. 10-18

GreenCourt® Arena Pro

1 Basic lay-out

- surrounding rebound wall system, 90° corners
- 2 soccer goals (oval goal frame profile) with one entrance door per goal (integrated into a side part)
- goal nets (mesh size 3.9"), door nets (mesh size 1.7")

inside dimension
of playing field

total perimeter
length


	32.8' x 22.9'	111.5'	with 7.9' x 5.2' goals (3.3'deep)	10-01
	45.9' x 22.9'	137.8'	with 7.9' x 5.2' goals (3.3'deep)	10-02
	49.2' x 32.8'	164'	with 9.8' x 6.5' goals (3.3'deep)	10-03
	65.6' x 42.6'	216.5'	with 9.8' x 6.5' goals (3.3'deep)	10-04
	82' x 45.9'	255.9'	with 13.1' x 6.5' goals (3.3'deep)	10-05
	98.4' x 49.2'	295.3'	with 9.8' x 6.5' goals (3.3'deep)	10-06
	98.4' x 49.2'	295.3'	with 13.1' x 6.5' goals (3.3'deep)	10-07
	131.2' x 65.6'	393.7'	with 9.8' x 6.5' goals (3.3'deep)	10-08
	131.2' x 65.6'	393.7'	with 13.1' x 6.5' goals (3.3'deep)	10-09


YOUR PLANNING AID FOR YOUR PERFECT **GreenCourt®** ARENA PRO

YOU CAN SIMPLY PLACE A CROSS TO MARK YOUR DESIRED OPTION

(1,2,5,6,8 ONLY ONE OPTION POSSIBLE / 3,4,7 POSSIBLE / TO COMBINE SEVERAL OPTIONS)

AND THEN GET YOUR PRICE WITH THE HELP OF YOUR PRICE LIST OR BY INQUIRING.

 CIRCLE: ONLY ONE OPTION POSSIBLE

 QUADRAT: SEVERAL OPTIONS CAN BE COMBINED

2 Side net constructions

	surrounding net construction	total height of 9.8', mesh size 3.9"	10-10
	surrounding net construction	total height of 9.8', mesh size 1.7"	10-11
	surrounding net construction	total height of 13.1', mesh size 3.9"	10-12
	surrounding net construction	total height of 13.1', mesh size 1.7"	10-13
	net construction only at the short sides	total height of 9.8', mesh size 3.9"	10-14
	net construction only at the short sides	total height of 9.8', mesh size 1.7"	10-15
	net construction only at the short sides	total height of 13.1', mesh size 3.9"	10-16
	net construction only at the short sides	total height of 13.1', mesh size 1.7"	10-17
	without a side net construction		

other sizes: on request

3 multi sport options

<input type="checkbox"/>	basketball constructions on top of the goals	10-18
<input type="checkbox"/>	basketball construction, installed on a long side post, without outreach	10-19
<input type="checkbox"/>	volleyball multi posts, integrated into the panel system (up to a court width of 32.8')	10-20
<input type="checkbox"/>	volleyball multi posts, incl. ground sockets with special lids	10-21
<input type="checkbox"/>	without a side net construction	

4 Special constructions

<input type="checkbox"/>	45° de-escalation corners instead of the 90° corners	10-22
<input type="checkbox"/>	anti-vandal goals (aluminium grid) instead of the standard goals	10-23
<input type="checkbox"/>	wider entrance doors (4.9' goal depth) instead of the standard doors	10-24
<input type="checkbox"/>	cylinder lock mechanism in the entrance doors of the goals	10-25
<input type="checkbox"/>	fold-up back part on a goal (access possibility)	10-26
<input type="checkbox"/>	no need of a special construction	

5 LED-Lighting

<input type="radio"/>	for 32.8' x 22.9' / 45.9' x 22.9' / 49.2' x 32.8' / 65.6' x 42.6'	10-28
<input type="radio"/>	for 82' x 45.9' / 98.4' x 49.2' / 131.2' x 65.6'	10-29
<input type="radio"/>	no need of a lighting	

6 Top net construction

<input type="radio"/>	for 32.8' x 22.9' / 45.9' x 22.9' / 49.2' x 32.8' / 65.6' x 42.6' / 82' x 45.9' / 98.4' x 49.2' / 131.2' x 65.6'	10-30 10-31
<input type="radio"/>	no need of a top net	

7 Other options

<input type="checkbox"/>	advertising applied on the panels	10-32
<input type="checkbox"/>	noise absorption through artificial turf on the inside of the panels	10-33
<input type="checkbox"/>	powder coating of the aluminium parts	10-34
<input type="checkbox"/>	no need of these other options	

8 Installation

<input type="radio"/>	installation	10-35
<input type="radio"/>	no need of an installation	



Top net construction (65.6' x 42.6')
Art.-Nr. 10-31


Volleyball multi-post in ground sockets
Art.-Nr. 10-21

Powder coating of the aluminium parts
Art.-Nr. 10-34





LED-lighting





GreenCourt® Arena Smart

- basic construction as Arena Pro, but free-standing, incl. special post supporting structures (approx. 19.7“ outreach) instead of concreted post extensions
- no foundation work to be done if there is an appropriate underground
- system to stay installed in the long term but still able to be dismantled
- according to current standards: robust, weather-proof, low noise
- panels suitable for the application of advertising
- perfect for all ages in sports clubs, schools, recreational facilities, hotels, social and cultural facilities, on company premises and public areas



Basketball construction on the top of a goal

Art.-Nr. 12-18

GreenCourt® Arena Smart

1 Basic lay-out

- surrounding rebound wall system, 90° corners
- 2 soccer goals (oval goal frame profile) with one entrance door per goal (integrated into a side part)
- goal nets (mesh size 3.9"), door nets (mesh size 1.7")

inside dimension of playing field	Total perimeter length		
 32.8' x 22.9'	111.5'	with 7.9' x 5.2' goals (3.3'deep)	12-01
 45.9' x 22.9'	137.8'	with 7.9' x 5.2' goals (3.3'deep)	12-02
 49.2' x 32.8'	164'	with 9.8' x 6.5' goals (3.3'deep)	12-03
 65.6' x 42.6'	216.5'	with 9.8' x 6.5' goals (3.3'deep)	12-04
 82' x 45.9'	255.9'	with 13.1' x 6.5' goals (3.3'deep)	12-05
 98.4' x 49.2'	295.3'	with 9.8' x 6.5' goals (3.3'deep)	12-06
 98.4' x 49.2'	295.3'	with 13.1' x 6.5' goals (3.3'deep)	12-07
 131.2' x 65.6'	393.7'	with 9.8' x 6.5' goals (3.3'deep)	12-08
 131.2' x 65.6'	393.7'	with 13.1' x 6.5' goals (3.3'deep)	12-09

YOUR PLANNING AID FOR YOUR PERFECT **GreenCourt®** ARENA SMART

YOU CAN SIMPLY PLACE A CROSS TO MARK YOUR DESIRED OPTION

(1,2,4,7,8 ONLY ONE OPTION POSSIBLE / 3,5,6 POSSIBLE TO COMBINE SEVERAL OPTIONS)

AND THEN GET YOUR PRICE WITH THE HELP OF YOUR PRICE LIST OR BY INQUIRING.












CIRCLE: ONLY ONE OPTION POSSIBLE



QUADRAT: SEVERAL OPTIONS CAN BE COMBINED

2 Side net constructions

	surrounding net construction	total height of 9.8', mesh size 3.9"	12-10
	surrounding net construction	total height of 9.8', mesh size 1.7"	12-11
	surrounding net construction	total height of 13.1', mesh size 3.9"	12-12
	surrounding net construction	total height of 13.1', mesh size 1.7"	12-13
	net construction only at the short sides	total height of 9.8', mesh size 3.9"	12-14
	net construction only at the short sides	total height of 9.8', mesh size 1.7"	12-15
	net construction only at the short sides	total height of 13.1', mesh size 3.9"	12-16
	net construction only at the short sides	total height of 13.1', mesh size 1.7"	12-17
	without a side net construction		

other sizes: on request

3 multi sport options

<input type="checkbox"/>	basketball constructions on top of the goals	12-18
<input type="checkbox"/>	volleyball multi posts, incl. ground sockets with special lids	12-19
<input type="checkbox"/>	without a side net construction	

4 LED-Lighting

<input type="radio"/>	for 32.8' x 22.9' / 45.9' x 22.9' / 49.2' x 32.8' / 65.6' x 42.6'	12-20
<input type="radio"/>	no need of a lighting	

5 Special constructions

<input type="checkbox"/>	anti-vandal goals (aluminium grid) instead of the standard goals	12-21
<input type="checkbox"/>	wider entrance doors (4.9' goal depth) instead of the standard doors	12-22
<input type="checkbox"/>	cylinder lock mechanism in the entrance doors of the goals	12-23
<input type="checkbox"/>	no need of a special construction	

6 Other options

<input type="checkbox"/>	advertising applied on the panels	12-24
<input type="checkbox"/>	noise absorption through artificial turf on the inside of the panels	12-25
<input type="checkbox"/>	powder coating of the aluminium parts	12-26
<input type="checkbox"/>	no need of these other options	

7 Stability options

<input type="radio"/>	mobile weights	12-27
<input type="radio"/>	ground anchorings	12-28
<input type="radio"/>	no need of a stability option	

8 Installation

<input type="radio"/>	installation	12-29
<input type="radio"/>	no need of an installation	



GreenCourt® StreetSoccer

- mobile and flexible panel system for a temporary use
- quick installation and removal
- easy hooking-in and Velcro system, no bolted assembly
- certified by a German testing institute: robust, weather-proof, low noise
- basic lay-out:
 - surrounding panel system, approx. 35.4" high, approx. 0.98" thick
 - panels made of a plastic coated rigid foam (white)
 - basic construction made of corrosion-free aluminium
 - fully welded mini soccer goals, integrated into the panel system
 - entrance elements, integrated into panel system
- suitable for transport and storage due to a space-saving construction
- panels suitable for the application of advertising
- perfect for events, street festivals, city festivals, children's parties, company parties, club festivals, fairs, etc.



GreenCourt® StreetSoccer

1 Basic lay-out

- surrounding rebound wall system, 90° corners
- soccer goals (square goal frame profile 31.5" x 31.5"), without an entrance door
- goal nets (mesh size 4.7")
- one entrance elements on each long side

Inside dimension of playing field	total perimeter length		
<input type="radio"/> 36.1' x 19.7'	111.5'	with 5.9' x 3.9' goals (2.3' deep)	13-01
<input type="radio"/> 42.6' x 26.2'	137.8'	with 5.9' x 3.9' goals (2.3' deep)	13-02
<input type="radio"/> 49.2' x 32.8'	164'	with 5.9' x 3.9' goals (2.3' deep)	13-03
<input type="radio"/> 65.6' x 42.6'	216.5'	with 9.8' x 6.5' goals (3.3'deep)	13-04

YOUR PLANNING AID FOR YOUR PERFECT **GreenCourt®** STREETSOCCER
 YOU CAN SIMPLY PLACE A CROSS TO MARK YOUR DESIRED OPTION
 (1 AND 2 ONLY ONE OPTION POSSIBLE / 3 POSSIBLE TO COMBINE SEVERAL OPTIONS)
 AND THEN GET YOUR PRICE WITH THE HELP OF YOUR PRICE LIST OR BY INQUIRING.



CIRCLE: ONLY ONE OPTION POSSIBLE



QUADRAT: SEVERAL OPTIONS CAN BE COMBINED


2 Side net constructions

<input type="radio"/>	surrounding net construction	total height of approx. 9.8', mesh size 4.7"	13-05
<input type="radio"/>	surrounding net construction	total height of approx. 9.8', mesh size 1.7"	13-06
<input type="radio"/>	without a side net construction		

3 Other options

<input type="checkbox"/>	foldable net hangers (goals)	13-07
<input type="checkbox"/>	advertising applied on the panels	13-08
<input type="checkbox"/>	mobile weights	13-09
<input type="checkbox"/>	powder coating of the aluminium parts	13-10

<input type="checkbox"/>	shot exercise tarpaulin for 5.9' x 3.9'	13-11
<input type="checkbox"/>	shot exercise tarpaulin for 9.8' x 6.6'	13-12
<input type="checkbox"/>	no need of these other options	



mobile weights
Art. 13-09



Powder coating
Art. 13-10

Advertising applied on the panels
Art.-Nr. 13-08





GreenCourt® Arena Mini

- robust and permanent octagon panel system
- approx. 21.3' diameter, suitable for 1 vs 1 or 2 vs 2
- basic construction made of corrosion-free aluminium, weather-proof and low noise
- posts with fixing brackets (for ground anchorings)
- according to current standards
- two mini goals 3.3' x 1.6' x 1.6', incl. high quality goal nets
- incl. an entrance elements
- panels suitable for the application of advertising
- perfect for all ages in sports clubs, schools, recreational facilities, hotels, social and cultural facilities, on company premises and public areas

YOUR PLANNING AID FOR YOUR PERFECT **GreenCourt®** ARENA MINI
 YOU CAN SIMPLY PLACE A CROSS TO MARK YOUR DESIRED OPTION
 (2 ONLY ONE OPTION POSSIBLE / 3 POSSIBLE TO COMBINE SEVERAL OPTIONS)
 AND THEN GET YOUR PRICE WITH THE HELP OF YOUR PRICE LIST OR BY INQUIRING.

☒ CIRCLE: ONLY ONE OPTION POSSIBLE ☒ QUADRAT: SEVERAL OPTIONS CAN BE COMBINED

1 Basic lay-out

- octagon construction, approx. 21.3' diameter
- goals 3.3' x 1.6' x 1.6', goal nets (mesh size 3.9")
- one entrance elements
- posts with fixing brackets (for ground anchorings)

Art. 14-01

2 Side net constructions

<input checked="" type="checkbox"/>	surrounding net construction	total height of 9.8', mesh size 3.9"	14-02
<input checked="" type="checkbox"/>	surrounding net construction	total height of 9.8', mesh size 1.7"	14-03
<input checked="" type="checkbox"/>	without a side net construction		


3 Other options

<input type="checkbox"/>	ground anchorings	14-04
<input type="checkbox"/>	top net (mesh size 4.7")	14-05
<input type="checkbox"/>	advertising applied on the panels	14-06
<input type="checkbox"/>	noise absorption through artificial turf on the inside of the panels	14-07
<input type="checkbox"/>	powder coating of the aluminium parts	14-08
<input type="checkbox"/>	no need of these other options	



GreenCourt® SoccerCage

- mobile construction for fast-paced matches 1 vs 1 (or 2 vs 2)
- robust, weather-proof, low noise
- basic lay-out:
 - basic construction made of corrosion-free aluminium
 - side elements, approx. 7.5' high / approx. 5.2' long
 - panels made of robust integral foam, 0.3" thick
 - integrated mini soccer goals 3.3' x 1.6' x 1.6', possible to fold up
 - integrated entrance door
 - high quality side nets, goal nets and door nets
- quick installation and removal
- panels suitable for the application of advertising
- for all ages



SoccerCage with advertising and small top panels

GreenCourt® SoccerCage

YOUR PLANNING AID FOR YOUR PERFECT **GreenCourt®** SOCCERCAGE
 YOU CAN SIMPLY PLACE A CROSS TO MARK YOUR DESIRED OPTION
 (1 ONLY ONE OPTION POSSIBLE / 2 AND 3 POSSIBLE TO COMBINE SEVERAL OPTIONS)
 AND THEN GET YOUR PRICE WITH THE HELP OF YOUR PRICE LIST OR BY INQUIRING.

☐ CIRCLE: ONLY ONE OPTION POSSIBLE

☐ QUADRAT: SEVERAL OPTIONS CAN BE COMBINED

1 Basic lay-out

- surrounding total height of 7.5'
- nets with a mesh size of 3.9"

<input type="radio"/> approx. 16.4' diameter (10 elements)	15-01
<input type="radio"/> approx. 19.6' diameter (12 elements)	15-02

2 Advertising options

<input type="checkbox"/> small top panels, additional advertising space, for 16.4' diameter	15-03
<input type="checkbox"/> small top panels, additional advertising space, for 19.6' diameter	15-04
<input type="checkbox"/> advertising applied on the big panels	15-05
<input type="checkbox"/> advertising applied on the small panels (if existing)	15-06
<input type="checkbox"/> no need of an advertising option	

3 Other options

<input type="checkbox"/> nets with a mesh size of 1.7" (instead of 3.9")	15-07	<input type="checkbox"/> top net (mesh size 4.7"), for 16.4' diameter	15-11
<input type="checkbox"/> pre-assembly of the nets	15-08	<input type="checkbox"/> top net (mesh size 4.7"), for 19.6' diameter	15-12
<input type="checkbox"/> welded-on fixing brackets (for ground anchorings)	15-09	<input type="checkbox"/> powder coating of the aluminium parts	15-13
<input type="checkbox"/> ground anchorings	15-10	<input type="checkbox"/> no need of these other options	

Space for notes





GreenCourt®

Innovative mini-pitch systems

by



Should you have further questions on possible uses or the various designs of the **GreenCourt**® systems, please call us.

We are happy to discuss the details of your individual **GreenCourt**® solution with you personally.

helogoal inc.

25392 E Indore Dr
Aurora, CO 80016

phone: (720) 788-7813
shop@helogoal.com

helogoal.com