

QUALITY SPORTS PRODUCTS MADE IN GERMANY







GREENCOURT — Mini-pitch systems

PORTABLE SENIOR SOCCER GOAL 8'H X 24'W WITH FREE HANGING NET SUSPENSION	page 4 - 5
STADIUM SOCCER GOAL 8'H X 24'W IN SLEEVES	page 6 - 7
PORTABLE SENIOR SOCCER GOAL 8'H X 24'W	page 8 - 9
PORTABLE SAFETY SENIOR SOCCER GOAL 8'H X 24'W	page 10 - 11
PORTABLE SENIOR SOCCER GOAL 8'H X 24'W WITH FOLDABLE NET SUSPENSION AND GROUND FRAME	page 12 - 13
PORTABLE JUNIOR SOCCER GOAL 6.5'H X 18.5'W	page 14 - 15
PORTABLE SAFETY JUNIOR SOCCER GOAL 6.5'H X 18.5'W	page 16 - 17
PORTABLE MINI SOCCER GOAL WITH PLAYERSPROTECT, 2.6'H X 3.9'W	page 18 - 19
PORTABLE SAFETY MINI SOCCER GOAL WITH PLAYERSPROTECT, 3.9'H X 5.9'W	page 20 - 21
PORTABLE MINI SOCCER GOAL WITH PLAYERSPROTECT, 3.9'H X 5.9'W	page 22 - 23
MINIFOOTBALL/FUTSAL GOAL WITH FOLDABLE NET SUSPENSION AND GROUND FRAME	page 24 - 25
TEAM SHELTER CHAMPION	page 26 - 27
BACKSTOP SYSTEM 65' X 20'	page 28 - 29
BACKSTOP SYSTEM PORTABLE, MODULAR SYSTEM	page 30 - 31



PORTABLE SENIOR SOCCER GOAL 8'H X 24'W WITH FREE HANGING NET SUSPENSION

According to FIFA and US Soccer regulations.

- » one portable goal constructed of aluminium oval profile according to FIFA and US Soccer regulations as 4-part construction
- » with free hanging net suspension
- » particularly torsion-resistant due to multiple internal profiling
- with our revolutionary milled Simply-Fix net attachment, integrated in the goal post profile –no net hooks required
- » Goal frame is white powder-coated finish
- » one 4 mm polypropylene net, white with 4.7" mesh size included net depth at the top and ground: 6.5'

item-No.: 1-13-016 item-No.: N006-02 **replacement net white**



goal frame cross section 4,2" x 3,9"



robust-cornersteelreinforced



milled Simply-Fix net attachment



net included



Anti-tilt protection

Set of 4-wheels Accessory part

» foldable and sviwel wheels, removable from the goal during use







STADIUM SOCCER GOAL 8'H X 24'W IN SLEEVES

According to FIFA and US Soccer regulations.

- » these goals you can find in many stadiums worldwide
- » two goal frame constructed of aluminum oval profile according to FIFA
- » particularly torsion-resistant due to multiple internal profiling
- » with a groove for net hooks
- » corners are fully welded
- » 3-part construction with additional internal steel-reinforcement
- » steel reinforced crossbars provide strength and durability

- » goal frames white powder-coated finish
- w two included foldable aluminum ground frames6.5' bottom depth and a groove for net hooks attachment
- » four aluminum ground sleeves with cover insertion depth 15.75"
- » with aluminum net hanger construction Type 1
- w two 4 mm polypropylene nets with 5" mesh size included for Type 1 (net depth at the top: 2.6', net depth at the ground: 6.5') and Type 2 (net depth at the top and at the ground: 6.5')

item-No.: 1-13-001 item-No.: N004-02 **replacement net white**



goal frame cross section 4,2" x 3,9"



robust-cornersteelreinforced



plastic net hooks rot-proof UV-resistant



net included



ground frame cross section

Free net suspension - Type 2 Accessory part

- » four very strong aluminum-tensioning tube posts in 3.15x3.15"
- » with eyehook, carabiner and cleats with standard ground sleeves and cover, depth at the top & ground: 6.5'

item-No.: 5-09-003 item-No.: N006-02 replacement net white



PORTABLE SENIOR SOCCER GOAL 8'H X 24'W

According to FIFA and US Soccer regulations.

- » one portable goal constructed of aluminum oval profile according to FIFA and US Soccer regulations as 4-part construction
- » particularly torsion-resistant due to multiple internal profiling
- » with a groove for net hooks
- » goal frame white powder-coated finish
- » all 4-steel reinforced corners are fully welded welded

- » carry handle on ground frame for convenience
- » two ground anchoring with spiral anchor made of steel and sand bags for ground frame included
- » one 4 mm polypropylene net, white with 4.7" mesh size included net depth at the top: 2.6', net depth at the ground: 6.5'

item-No.: 1-13-002 item-No.: N004-02 replacement net white



goal frame cross section 4,2" x 3,9"



robust-cornersteelreinforced



plastic net hooks rot-proof UV-resistant




ground anchor



Set of 4-wheels (foldable) Accessory part

- » Big, wide, foldable wheels ensure easy transport even on soft ground
- » Wheels are filled with polyurethane foam





PORTABLE SAFETY SENIOR SOCCER GOAL 8'H X 24'W

According to ASTM F2950-14 Standards.

- » goal frame is constructed of aluminum oval profile
- » it is particularly torsion-resistant due to multiple internal profiling
- » a groove for net hooks
- » goal frame white powder coated
- » all steel reinforced corners are fully welded with goal frame as 4-part construction

- » two transport wheels included
- » special attached weight tube for tilt-proof must be filled with sand for ballast to meet ASTM F2950 Standards / European Standards
- » one 4 mm polypropylene net, white with 4.7" mesh size included net depth at the top: 2.6', net depth at the ground: 6.5'

item-No.: 1-13-015 item-No.: N004-02 **replacement net white**



goal frame cross section 4,2" x 3,9"



robust-cornersteelreinforced



weight tube cross section



transport wheels with axis



plastic net hooks rot-proof UV-resistant



ground anchor



net included





PORTABLE SENIOR SOCCER GOAL 8'H X 24'W

WITH FOLDABLE NET SUSPENSION AND GROUND FRAME

According to FIFA and US Soccer regulations.

- » one portable goal constructed of aluminium oval profile
- » according to FIFA and US Soccer regulations as 4-part construction
- » with foldable net suspension and ground frame
- » particularly torsion-resistant due to multiple internal profiling
- » with a groove for net hooks

- » goal frame is white powder-coated finish
- » two ground anchoring with spiral anchor made of steel and sand bags for ground frame included
- » very space saving
- » 4 mm polypropylene net, white with 4.7 mesh size included net depth at the top: 2.6, net depth at the ground: 6.5

item-No.: 1-13-017 item-No.: N004-02 **replacement net white**



goal frame cross section 4,2" x 3,9"



robust-cornersteelreinforced



plastic net hooks rot-proof UV-resistant



ground anchor



net included

Set of 4-wheels Accessory part

» foldable and sviwel wheels, removable from the goal during use







PORTABLE JUNIOR SOCCER GOAL 6.5'H X 18.5'W

According to US Soccer regulations.

- » one portable goal constructed of aluminum oval profile according » welded carry handle on ground frame for convenience to US Soccer regulations as 4-part construction
- » particularly torsion-resistant due to multiple internal profiling
- » with a groove for net hooks
- goal frame white powder-coated finish
- » all 4 steel reinforced corners are fully welded

- » two ground anchoring with spiral anchor made of steel and sand bags for ground frame included
- » one 4 mm polypropylene net, white with 4.7" mesh size included net depth at the top: 2.6', net depth at the ground: 6.5'

item-No.: 1-13-003 item-No.: N910-02 replacement net white



goal frame cross section 4.2" x 3.9"



robust-cornersteelreinforced



plastic net hooks rot-proof UV-resistant



ground anchor



net included

Set of 4-wheels (foldable) Accessory part

- » Big, wide, foldable wheels ensure easy transport even on soft ground
- » Wheels are filled with polyurethane foam





PORTABLE SAFETY JUNIOR SOCCER GOAL 6.5'H X 18.5'W

According to US Soccer regulations.

- » goal frame is constructed of aluminum oval profile
- » it is particularly torsion-resistant due to multiple internal profiling
- » with a groove for net hooks
- » entire framework is natural aluminum finish
- » all steel reinforced corners are fully welded
- » with goal frame as 4-part construction

- » two transport wheels included
- » special attached weight tube for tilt-proof must be filled with sand for ballast to meet ASTM F2950 Standards / European Standards
- » one 4 mm polypropylene net, white with 4.7" mesh size included net depth at the top: 2.6', net depth at the ground: 4.9'

item-No.: 1-13-006 **6.5' x 18.5'** item-No.: N910-02 **replacement net white**



goal frame cross section 4,2" x 3,9"



robust-cornersteelreinforced



weight tube cross section



transport wheels with axis



plastic net hooks rot-proof UV-resistant



ground anchor



net included





PORTABLE MINI SOCCER GOAL WITH PLAYERSPROTECT, 2.6'H X 3.9'W

- » goal framework is entirely aluminum construction very high strength and low risk of injuries
- » fully welded, 1-part construction
- » natural aluminum finish
- » big net hanger
- » low ground frame cross section (1,5") with PlayersProtect means that the construction is high strength and offers a low risk of injuries

- » PlayersProtect is rubberized bounce protectioncombined with a special constructed bottom frame
- » PlayersProtect guarantees force reduction when hitting the bottom frame and minimized risk of injuries for the player
- » ground anchoring includes spiral anchor made of steel and sand bags for ground frame
- » includes 4 mm polypropylene net with 5" mesh size net depth at the top and ground 2.3'

item-No.: 1-13-004 item-No.: N302-02 replacement net white



cross frame cross section 3.15" x 3.15"



ground frame cross section with PlayersProtect



PlayersProtect



ground anchor



plastic net hooks rot-proof UV-resistant



net included



Sand bag



PORTABLE SAFETY MINI SOCCER GOALWITH PLAYERSPROTECT, 3.9'H X 5.9'W

- » goal framework is entirely aluminum construction very high strength and low risk of injuries
- » fully welded, 1 part construction
- » big net hanger
- » two transport wheels included
- » aluminum construction for lightweight durability
- » PlayersProtect means that the construction is high strength and offers a low risk of injuries
- » PlayersProtect is rubberized bounce protection combined with a special constructed bottom frame

- » PlayersProtect guarantees force reduction when hitting the bottom frame and minimized risk of injuries for the player
- » special attached weight tube for tilt-proof must be filled with sand for ballast
- » includes 4 mm polypropylene net with 5" mesh size net depth at the top and ground 2.3'

DISCLAIMER: When moving, be sure to move it properly and with supervision

item-No.: 1-13-009 item-No.: N305-02 **replacement net white**



cross frame cross section 3.15" x 3.15"



ground frame cross section with PlayersProtect



weight tube cross section with PlayersProtect



transport wheels with axis



PlaversProtect



plastic net hooks rot-proof UV-resistant



net included





PORTABLE MINI SOCCER GOAL WITH PLAYERSPROTECT, 3.9'H X 5.9'W

- » goal framework is entirely aluminum construction very high strength and low risk of injuries
- » fully welded, 1-part construction
- » natural aluminum finish
- » big net hanger
- » low ground frame cross section (1,5") with PlayersProtect means that the construction is high strength and offers a low risk of injuries

- » PlayersProtect is rubberized bounce protection combined with a special constructed bottom frame
- » PlayersProtect guarantees force reduction when hitting the bottom frame and minimized risk of injuries for the player
- » ground anchoring includes spiral anchor made of steel and sand bags for ground frame
- » includes 4 mm polypropylene net with 5" mesh size net depth at the top and ground 2.3'

item-No.: 1-13-005 item-No.: N305-02 replacement net white



cross frame cross section 3.15" x 3.15"



ground frame cross section with PlayersProtect



PlayersProtect



ground anchor



plastic net hooks rot-proof UV-resistant



net included



Sand bag



MINIFOOTBALL GOAL / FUTSAL GOAL WITH FOLDABLE NET SUSPENSION AND GROUND FRAME

- » one portable goal constructed of aluminium oval profile
- » according to World Minifootball Federation and FIFA FUTSAL regulations
- » 4-part construction with foldable net suspension and ground frame
- » particularly torsion-resistant due to multiple internal profiling
- » with groove for net hooks
- » goal frame white powder-coated finish, with red stripes

- » two ground anchoring with spiral anchor made of steel and sand bags for ground frame included
- » very space saving
- y 4 mm polypropylene net, white with 4.7" mesh size included net depth at the top: 2.6', net depth at the ground: 4.9'

item-No.: 1-13-018 **6.6' x 9.8'** item-No.: N203-02 **replacement net white for 6.6' x 9.8' (FUTSAL)** item-No.: 1-13-019 **6.6' x 13.1'** item-No.: N902-02 **replacement net white for 6.6' x 13.1' (Minifootball)**

1

Sand bag



cross frame cross section 3.15" x 3.15"



robust-cornersteelreinforced



plastic net hooks rot-proof UV-resistant



ground anchor



net included

Set of 4-wheels Accessory part

» foldable and sviwel wheels, removable from the goal during use





TEAM SHELTER CHAMPION

- » one team bench shelter particularly torsion-resistant aluminium profiles. Side parts and rear side made of shatter-proof, absolutley transparent polycarbonate. Externely robust
- » four welded-on brackets for anchoring the cabin to the ground with four, steel, ground anchor tubes for installation into concrete
- » with footrest made of aluminium
- » individual plastic seats with backrest included
- » standing height 6.6'

item-No.: 1-07-004 **19.6' - 12 seats** item-No.: 1-07-005 **22.9' - 14 seats**

item-No.: 1-07-006 **22.9' - wooden bench**



Plastic seats



Ground anchoring special



Ground mounting brackets



Protection pad







BACKSTOP SYSTEM

20' X 65'

- » complete system
- » 5 posts, aluminium oval, with sleeves
- » 4 crossbars 16.4' post distance for more stability and upper net attachment
- » 1 net black, PP, thickness 3mm, mesh 4.72"
- » 1 net attachment equipment, including steel wire

item-No.: 1-08-005 **20' x 65'**





BACKSTOP SYSTEMPORTABLE, MODULAR SYSTEM

- » post, aluminium oval, 16.4' high.
- » mobile base (3.9' x 4.2') with transport wheels
- » 4 counter weights (55 lbs each)
- » net black 16.4' x 19.7', PP, thickness 3mm, mesh 4.72"
- » with hoisting device for the net, including ropes
- » the net can be taken up and down very fast and easy
- » expantable to an length desire

item-No.: 1-13-024 backstop post with mobile base and counter weights

item-No.: N510-06 **net 16.4' x 19.7'**





steel rope



transport wheels with axis

CORNER FLAGS6 PER SET

- » Flex-spring mechanism (articulated joint)
- » Soft-plastic 2" diameter, 63" long pole
- » Ground socket and flag included

item-No.: 1-11-003



TRANSPORT-TROLLEY WITH WHEELS

- » Simple transporter
- » Made of aluminium, with solid rubber wheels
- » For easier transportation from the storage to the pitch
- » 1 piece with the frame, 4 wheels and accessories



ASK US ALSO ABOUT

Green Court







HELOGOAL

25392 E Indore Dr, Aurora, CO 80016





shop@helo-sports.com



helogoal.com